



# Green Pin Wire Rope Clip

Wire rope clip generally to EN 13411-5 Type B



## Highlights

- ✓ High tensile steel
- ✓ Ribs prevent sliding of wire rope
- ✓ Galvanization assures long-term durability
- ✓ Generally to EN 13411-5 Type B
- ✓ Superior stock availability of 99%

## Description

The Green Pin Wire Rope Clip is a wire rope clip, generally to EN 13411-5 Type B. This wire rope clip is safer to work with as the ribs on the bearing surface of the clip prevent sliding of the wire rope. Furthermore, the wire rope clip is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin Wire Rope Clip is available in a range for wire rope diameters of 4 up to 78 mm.

## Product details

<b>Productcode</b>	G-6240
<b>Material</b>	Bridge: drop forged high tensile steel SAE 1045U-bolt: SAE 1015
<b>Finish</b>	Hot dipped galvanizedU-bolt and/or nuts for diameter bow 5, 6, 8 and 10 mm are electro-galvanized
<b>Certification Standard</b>	<b>2.1</b> generally to EN 13411-5 Type BFormerly US Federal Specification FF-C-450D

[www.greenpin.com](http://www.greenpin.com)



## Green Pin<sup>®</sup> Wire Rope Clip

### Technical specifications in millimeters

Article code	diameter wire rope (inch)	A diameter	B length bow	C width inside	D length thread	E length base	G height base	Nett weight KG
CLGRP03	1/8	5	24	12	11	24	10	0.03
CLGRP05	3/16	6	31	15	13	29	13	0.07
CLGRP06	1/4	8	34	19	13	37	18	0.08
CLGRP08	5/16	10	45	22	19	43	19	0.12
CLGRP10	3/8	11	49	26	19	49	25	0.21
CLGRP11	7/16	12	60	30	25	58	26	0.33
CLGRP12	1/2	13	61	30	25	58	31	0.33
CLGRP14	9/16	14	72	33	32	63	31	0.46
CLGRP16	5/8	14	74	33	32	64	36	0.46
CLGRP19	3/4	16	86	38	37	72	38	0.64
CLGRP22	7/8	19	98	45	41	80	40	0.96
CLGRP25	1	19	108	48	46	88	47	1.15



## Green Pin® Wire Rope Clip

### Technical specifications in millimeters

Article code	diameter wire rope (inch)	A diameter	B length bow	C width inside	D length thread	E length base	G height base	Nett weight KG
CLGRP28	1 1/8	19	117	51	51	91	48	1.27
CLGRP32	1 1/4	22	130	59	54	105	56	1.97
CLGRP35	1 3/8	22	140	60	59	108	58	2.07
CLGRP38	1 1/2	22	147	66	60	112	64	2.54
CLGRP42	1 5/8	25	161	70	67	121	67	3.22
CLGRP45	1 3/4	29	174	78	70	134	76	4.18
CLGRP50	2	32	195	86	78	150	85	6.02
CLGRP56	2 1/4	32	213	98	81	162	100	7.76
CLGRP64	2 1/2	32	227	105	87	168	113	8.62
CLGRP69	2 3/4	32	243	112	91	174	124	10.2
CLGRP75	3	38	271	121	98	194	136	12.7



## Green Pin® Wire Rope Clip

### Technical specifications in inches

Article code	diameter wire rope (inch)	A diameter (inch)	B length bow (inch)	C width inside (inch)	D length thread (inch)	E length base (inch)	F thickness base (inch)	G height base (inch)	Nett weight LBS
CLGRP03	1/8	3/16	15/16	15/32	7/16	15/16	13/16	13/32	0.07
CLGRP05	3/16	1/4	1 7/32	19/32	1/2	1 5/32	15/16	1/2	0.15
CLGRP06	1/4	5/16	1 11/32	3/4	1/2	1 15/32	1 3/16	23/32	0.19
CLGRP08	5/16	13/32	1 25/32	7/8	3/4	1 11/16	1 5/16	3/4	0.27
CLGRP10	3/8	7/16	1 15/16	1 1/32	3/4	1 15/16	1 21/32	31/32	0.46
CLGRP11	7/16	15/32	2 3/8	1 3/16	31/32	2 9/32	1 13/16	1 1/32	0.73
CLGRP12	1/2	1/2	2 13/32	1 3/16	31/32	2 9/32	1 7/8	1 7/32	0.73
CLGRP14	9/16	9/16	2 27/32	1 5/16	1 1/4	2 15/32	2 1/16	1 7/32	1.01
CLGRP16	5/8	9/16	2 29/32	1 5/16	1 1/4	2 17/32	2 1/8	1 13/32	1.01
CLGRP19	3/4	5/8	3 3/8	1 1/2	1 15/32	2 27/32	2 1/4	1 1/2	1.42
CLGRP22	7/8	3/4	3 27/32	1 25/32	1 5/8	3 5/32	2 7/16	1 9/16	2.13
CLGRP25	1	3/4	4 1/4	1 7/8	1 13/16	3 15/32	2 5/8	1 7/8	2.54



## Green Pin® Wire Rope Clip

### Technical specifications in inches

Article code	diameter wire rope (inch)	A diameter (inch)	B length bow (inch)	C width inside (inch)	D length thread (inch)	E length base (inch)	F thickness base (inch)	G height base (inch)	Nett weight LBS
CLGRP28	1 1/8	3/4	4 19/32	2	2	3 19/32	2 7/8	1 7/8	2.81
CLGRP32	1 1/4	7/8	5 1/8	2 5/16	2 1/8	4 1/8	3 1/8	2 7/32	4.35
CLGRP35	1 3/8	7/8	5 1/2	2 3/8	2 5/16	4 1/4	3 1/8	2 9/32	4.55
CLGRP38	1 1/2	7/8	5 25/32	2 19/32	2 3/8	4 13/32	3 11/32	2 17/32	5.59
CLGRP42	1 5/8	31/32	6 11/32	2 3/4	2 5/8	4 3/4	3 5/8	2 5/8	7.11
CLGRP45	1 3/4	1 5/32	6 27/32	3 1/16	2 3/4	5 9/32	3 13/16	3	9.21
CLGRP50	2	1 1/4	7 11/16	3 3/8	3 1/16	5 29/32	4 7/16	3 11/32	13.3
CLGRP56	2 1/4	1 1/4	8 3/8	3 27/32	3 3/16	6 3/8	4 9/16	3 15/16	17.1
CLGRP64	2 1/2	1 1/4	8 15/16	4 1/8	3 7/16	6 5/8	4 11/16	4 7/16	19.0
CLGRP69	2 3/4	1 1/4	9 9/16	4 13/32	3 19/32	6 27/32	5	4 7/16	22.4
CLGRP75	3	1 1/2	10 21/32	4 3/4	3 27/32	7 5/8	5 5/16	5 11/32	28.0



# Green Pin<sup>®</sup> Wire Rope Clip

## Technical drawing

